


Back-up Ring



(inch)

AS-568 NO.	ID d	TOL. ±	R ±0.010 (RED)	T	A	TOL. ±	W	TOL. ±	ID X DD X A (mm)							
006	0.140	0.005							3.56x6.26x1.14							
007	0.171								4.74x7.04x1.14							
008	0.202								5.13x7.83x1.14							
009	0.234								5.94x8.64x1.14							
010	0.265								6.73x9.43x1.14							
011	0.327								8.31x11.00x1.14							
012	0.390								9.91x12.61x1.14							
013	0.455								11.56x14.26x1.14							
014	0.518								13.16x15.86x1.14							
015	0.580								14.73x17.43x1.14							
016	0.643	0.009							16.33x19.03x1.14							
017	0.705								17.91x20.61x1.14							
018	0.768								19.51x22.21x1.14							
019	0.830								21.08x23.78x1.14							
020	0.893								22.68x25.38x1.14							
021	0.955	24.26x26.96x1.14														
022	1.018	0.010							25.86x28.56x1.14							
023	1.080								27.43x30.13x1.14							
024	1.143								29.03x31.73x1.14							
025	1.205	0.011							30.61x33.31x1.14							
026	1.268								32.21x34.91x1.14							
027	1.330	0.013	0.087	0.049	0.045	0.003	0.053	0.003	33.78x36.48x1.14							
028	1.393								35.38x38.08x1.14							
029	1.518								38.56x41.26x1.14							
030	1.643								41.73x44.43x1.14							
031	1.768								44.91x47.61x1.14							
032	1.893								48.08x50.78x1.14							
033	2.018								51.26x53.96x1.14							
034	2.143								54.53x57.13x1.14							
035	2.268								0.018							57.61x60.31x1.14
036	2.393															60.78x63.48x1.14
037	2.518	63.96x66.66x1.14														
038	2.643	0.020							67.13x69.83x1.14							
039	2.768								70.31x73.01x1.14							
040	2.893								73.48x76.18x1.14							
041	3.018	0.024							76.66x79.36x1.14							
042	3.268								83.01x85.71x1.14							
043	3.518								89.36x92.06x1.14							
044	3.768	0.027							95.71x98.41x1.14							
045	4.018								102.06x104.76x1.14							
046	4.268	0.030							108.41x111.11x1.14							
047	4.518								114.76x117.46x1.14							
048	4.768								121.11x123.81x1.14							

AS-568 NO.	ID d	TOL. ±	R ±0.010 (RED)	T	A	TOL. ±	W	TOL. ±	ID X DD X A (mm)
110	0.390	0.005							9.91x14.27x1.14
111	0.452								11.48x15.84x1.14
112	0.515	0.007							13.08x17.44x1.14
113	0.577								14.66x19.02x1.14
114	0.640	0.009							16.26x20.62x1.14
115	0.702								17.83x22.19x1.14
116	0.765								19.43x23.79x1.14
117	0.831								21.11x25.47x1.14
118	0.893	0.010							22.68x27.04x1.14
119	0.956								24.28x28.64x1.14
120	1.018								25.86x30.22x1.14
121	1.081								27.46x31.82x1.14
122	1.143	0.012							29.03x33.39x1.14
123	1.206								30.63x34.99x1.14
124	1.268								32.21x36.57x1.14
125	1.331	0.015							33.81x38.17x1.14
126	1.393								35.38x39.74x1.14
127	1.456								36.98x41.34x1.14
128	1.518								38.56x42.92x1.14
129	1.581								40.16x44.52x1.14
130	1.643	0.017	0.129	0.053	0.045	0.003	0.086	0.003	41.73x46.09x1.14
131	1.706								43.33x47.69x1.14
132	1.768								44.91x49.27x1.14
133	1.831								46.51x50.87x1.14
134	1.893								48.08x52.44x1.14
135	1.956								49.86x54.04x1.14
136	2.018								51.26x55.62x1.14
137	2.081								52.86x57.22x1.14
138	2.143								54.43x58.79x1.14
139	2.206								0.020
140	2.268	57.61x61.97x1.14							
141	2.331	59.21x63.57x1.14							
142	2.393	0.022							60.78x65.14x1.14
143	2.456								62.38x66.74x1.14
144	2.518								63.96x68.32x1.14
145	2.581	0.024							65.56x69.92x1.14
146	2.643								67.13x71.49x1.14
147	2.706								68.73x73.09x1.14
148	2.768								70.31x74.67x1.14
149	2.831								71.91x76.27x1.14
150	2.893								73.48x77.84x1.14
151	3.018								76.66x81.02x1.14
152	3.268								83.01x87.37x1.14

049	5.018	0.037									127.46x130.16x1.14
050	5.268										133.81x136.50x1.14

153	3.518	0.028									89.36x93.72x1.14
154	3.708										95.71x100.07x1.14

AS-568 NO.	ID d	TOL. ±	R ±0.010 (RED)	T (RED)	A	TOL. ±	W	TOL. ±	ID X DD XA (mm)
155	4.018	0.028	0.129	0.053	0.045	0.003	0.086	0.003	102.06x106.42x1.14
156	4.268	0.030							108.41x112.77x1.14
157	4.518								114.76x119.12x1.14
158	4.768								121.11x125.47x1.14
159	5.018	0.035							127.46x131.82x1.14
160	5.268								133.81x138.17x1.14
161	5.518								140.16x144.52x1.14
162	5.768	0.040							146.51x150.87x1.14
163	6.018								152.86x157.22x1.14
164	6.268								159.21x163.57x1.14
165	6.518	0.045							165.56x169.92x1.14
166	6.768								171.91x176.27x1.14
167	7.018								178.25x182.61x1.14
168	7.268	0.050							184.61x188.97x1.14
169	7.518								190.96x195.32x1.14
170	7.768								197.31x201.67x1.14
171	8.018	0.055							203.66x208.02x1.14
172	8.268								210.01x214.37x1.14
173	8.518		216.36x220.72x1.14						
174	8.768	0.010	222.71x227.07x1.14						
175	9.018		229.06x233.42x1.14						
176	9.268		235.41x239.77x1.14						
177	9.518	0.012	241.76x246.12x1.14						
178	9.768		248.11x252.47x1.14						
210	0.766		0.015	19.46x25.46x1.02					
211	0.828	21.03x27.03x1.02							
212	0.891	22.63x28.63x1.02							
213	0.953	0.018	24.21x30.21x1.02						
214	1.016		25.81x31.81x1.02						
215	1.078		27.38x33.3x1.02						
216	1.141	0.020	28.98x34.98x1.02						
217	1.203		30.56x36.56x1.02						
218	1.266		32.16x38.16x1.02						
219	1.334	0.024	33.88x39.88x1.02						
220	1.397		35.50x41.50x1.02						
221	1.459		37.06x43.06x1.02						
222	1.522	0.028	38.66x44.66x1.02						
223	1.647		41.83x47.83x1.02						
224	1.772		45.01x51.01x1.02						
225	1.897	0.030	48.18x54.18x1.02						
226	2.022		51.36x57.36x1.02						
227	2.147		54.53x60.53x1.02						
228	2.272	0.033	57.71x63.71x1.02						
229	2.397		60.88x66.88x1.02						
230	2.522		64.06x70.06x1.02						
231	2.631	0.037	66.83x72.83x1.02						
232	2.756		70.00x76.00x1.02						
233	2.881		73.18x79.18x1.02						
234	3.006	0.040	76.35x82.35x1.02						
235	3.131		79.53x85.53x1.02						
236	3.256		82.70x88.70x1.02						
237	3.381	0.044	85.88x91.88x1.02						
238	3.506		89.05x95.05x1.02						
239	3.631		92.23x98.23x1.02						
240	3.756	0.048	95.40x101.40x1.02						
241	3.881		98.58x104.58x1.02						
242	4.006		101.75x107.75x1.02						
243	4.131	0.052	104.93x110.93x1.02						
244	4.256		108.10x114.10x1.02						
245	4.381		111.28x117.28x1.02						
246	4.506	0.056	114.45x120.45x1.02						
247	4.631		117.63x123.63x1.02						
248	4.768		121.11x127.11x1.02						

AS-568 NO.	ID d	TOL. ±	R ±0.010 (RED)	T (RED)	A	TOL. ±	W	TOL. ±	ID X DD XA (mm)	
251	5.143	0.035	0.174	0.050	0.040	0.003	0.118	0.004	130.63x136.63x1.02	
252	5.268								133.81x139.81x1.02	
253	5.393								136.98x142.98x1.02	
254	5.518								140.16x146.16x1.02	
255	5.643								143.33x149.33x1.02	
256	5.768								146.51x152.51x1.02	
257	5.893								149.68x155.68x1.02	
258	6.018								0.040	152.86x158.86x1.02
259	6.268									159.21x165.21x1.02
260	6.518									165.56x171.56x1.02
261	6.768								0.045	171.91x177.91x1.02
262	7.018									178.26x184.26x1.02
263	7.268									184.61x190.61x1.02
264	7.518								0.050	190.96x196.96x1.02
265	7.768									197.31x203.31x1.02
266	8.018									203.66x209.66x1.02
267	8.268								0.055	210.01x216.01x1.02
268	8.518									216.36x222.36x1.02
269	8.768	222.71x228.71x1.02								
270	9.018	0.065	229.06x235.06x1.02							
271	9.268		235.41x241.41x1.02							
272	9.518		241.76x247.76x1.02							
273	9.768	0.015	248.11x254.11x1.02							
274	10.018		254.46x260.46x1.02							
275	10.518		267.16x273.16x1.02							
276	11.018	0.018	279.86x285.86x1.02							
277	11.518		292.56x298.56x1.02							
278	12.018		305.26x311.26x1.02							
279	13.018	0.020	330.66x336.66x1.02							
280	14.018		356.05x362.05x1.02							
281	15.018		381.46x387.46x1.02							
325	1.513	0.015	0.262	0.076	0.060	0.004	0.183	0.005	38.43x47.73x1.52	
326	1.638								41.61x50.91x1.52	
327	1.763								44.78x54.08x1.52	
328	1.888	0.018	47.96x57.26x1.52							
329	2.013		51.13x60.43x1.52							
330	2.138		54.31x63.61x1.52							
331	2.268	0.020	57.61x66.91x1.52							
332	2.393		60.78x70.08x1.52							
333	2.518		63.96x73.26x1.52							
334	2.643	0.024	67.13x76.43x1.52							
335	2.768		70.31x79.61x1.52							
336	2.893		73.48x82.78x1.52							
337	3.018	0.028	76.66x85.96x1.52							
338	3.143		79.83x89.13x1.52							
339	3.273		83.13x92.43x1.52							
340	3.398	0.030	86.31x95.61x1.52							
341	3.523		89.48x98.78x1.52							
342	3.648		92.66x101.96x1.52							
343	3.773	0.033	95.83x105.13x1.52							
344	3.898		99.01x108.31x1.52							
345	4.028		102.31x111.61x1.52							
346	4.153	0.037	105.49x114.79x1.52							
347	4.278		108.66x117.96x1.52							
348	4.403		111.84x121.14x1.52							
349	4.528	0.040	115.01x124.31x1.52							
425	4.551		118.77x130.75x2.44							
426	4.676		121.95x133.93x2.44							
427	4.801	0.044	125.20x137.8x2.44							
428	4.926		128.30x140.28x2.44							
429	5.051		131.47x143.45x2.44							
430	5.176	0.048	134.65x146.63x2.44							
431	5.301		137.83x149.81x2.44							

249	4.893	0.035								124.28x130.28x1.02
250	5.018									127.46x133.46x1.02

432	5.426									137.82x149.80x2.44
433	5.551									141.00x152.98x2.44

AS-568 NO.	ID d	TOL. ±	R ±0.010 (RED)	T (RED)	A	TOL. ±	W	TOL. ±	ID X DD XA (mm)
434	5.676	0.037	0.344	0.117	0.096	0.005	0.236	0.006	144.17x156.15x2.44
435	5.801								147.35x159.33x2.44
436	5.926								150.52x162.50x2.44
437	6.051								153.70x165.68x2.44
438	6.274								159.36x171.34x2.44
439	6.524	0.040	0.344	0.117	0.096	0.005	0.236	0.006	165.71x177.69x2.44
440	6.774								172.06x184.04x2.44
441	7.024								178.41x190.39x2.44
442	7.274	0.045	0.344	0.117	0.096	0.005	0.236	0.006	184.76x196.74x2.44
443	7.524								191.11x203.09x2.44
444	7.774								197.46x209.44x2.44
445	8.024								203.81x215.79x2.44
446	8.524	0.055	0.344	0.117	0.096	0.005	0.236	0.006	216.51x228.49x2.44
447	9.024								229.21x241.19x2.44

AS-568 NO.	ID d	TOL. ±	R ±0.010 (RED)	T (RED)	A	TOL. ±	W	TOL. ±	ID X DD XA (mm)
448	9.524	0.055	0.344	0.117	0.096	0.005	0.236	0.006	241.91x253.89x2.44
449	10.024								254.61x266.59x2.44
450	10.524	0.060	0.344	0.117	0.096	0.005	0.236	0.006	267.31x279.29x2.44
451	11.024								280.01x291.99x2.44
452	11.524								292.71x304.69x2.44
453	12.024								305.41x317.39x2.44
454	12.524								318.11x330.09x2.44
455	13.024	0.07	0.344	0.117	0.096	0.005	0.236	0.006	330.81x342.79x2.44
456	13.524								343.51x355.49x2.44
457	14.024								356.21x361.09x2.44
458	14.524								368.91x380.89x2.44
459	15.024	0.07	0.344	0.117	0.096	0.005	0.236	0.006	381.61x393.51x2.44
460	15.524								394.31x406.29x2.44